




Customizing Family Fun™



SKU#: FB-008-2

World Tour Foosball Metal Rod Protector Kit

Installation Guide

Assembly, Operation, and Care Instructions

Serial #: _____

Distributed By: _____

Sales Person: _____

Technical Service #: **+1-716-866-0054**

v. 100416


Inspect Immediately after Transporting the Product

After receiving the shipment, inspect the product thoroughly to ensure that it has been shipped with care. Before attempting to install the rod protectors, please check the following:

- Check the box for damage or shifting that may have occurred during shipping. Are there any dented portions or defects (cuts, etc.) on the external surfaces of the accessories?
- Are all the accessories included?

Your **Metal Rod Protector Kit** should include:

- World Tour Foosball Metal Rod Protector Kit Installation Guide
- Two (x2) Short Rod Protectors (17.15 cm)
- Four (x4) Medium Rod Protectors (27.95 cm)
- Two (x2) Long Rod Protectors (39.37 cm)
- Bag of Nuts & Bolts to Secure Protectors to Cabinet
 - Short Bolts = 4.5 cm
 - Long Bolts = 4.75 cm



2 Lengths: Long & Short



Safety Instructions



- This equipment may contain hazardous voltage which can cause electrical shock. Only **qualified personnel*** should work inside the equipment.

*Note: Keep reading for a list of qualified personnel.

- To maintain personal safety and the safe operation of this product, read the entire manual before using it. The following instructions are intended for the users, operators, and the personnel in charge of the operation of the machine. **Be sure to keep this manual in a convenient place for future reference.**



IMPORTANT NOTICES

- This product is intended for indoor use only
- This is NOT a child's toy; adult supervision is required for children to play this game. Children under 120cm (roughly 4ft) in height should not approach the table while it is in use, as this could be hazardous.
- Do not sit, climb, or lean on the table. Do not place anything, including people, on the top of the glass playfield cover.
- Do not place any food or drinks on the table. Use the cup holders provided.
- This game features flashing lights which is unsuitable for photosensitive epilepsy.
- Operate the product where appropriate lighting is available, allowing warning and safety labels to be read clearly.
- Take extra care when handling the tempered glass panel, it may break.



ASSEMBLY NOTES

1. Read this Installation Guide carefully before beginning the installation.
2. Only qualified personnel who have technical expertise should perform the work stated herein to avoid hazardous situations.
3. Ensure that there is sufficient space to shift the product prior to installation. Do not drag the table when moving it, as this could damage the legs, levelers, or glass beyond repair.
4. **Be sure to turn off the power and unplug the machine before beginning work on the unit!**
5. **Two adults** are recommended to install the rod protectors.



TOOLS NEEDED




- Metal Rod Protector Kit Installation Guide
- Two Adults to Assist with Assembly
- Nut Driver (8mm) – Included with Foosball Table
OR Socket Wrench / Ratchet (8mm)
- Hand Drill (5mm drill bit)
- Lubricating Oil – Included with Foosball Table
- A Piece of Scrap Wood

*Note: Please retain the original packaging, so that it may be used for storage or transport later.

This guide instructs you on how to install metal rod protectors onto a pre-assembled foosball table.

A fully-assembled table will look like this from above:



How to Install the Metal Rod Protectors


1. Standing in front of the table where the locks are located, find the **RIGHT SIDE OF THE TABLE**. From the right side, remove the end cap, corner pieces, and other metal parts.



2. Carefully remove the tempered glass from the **RIGHT SIDE** of the table by sliding it toward you. Temporarily store the glass in a safe place.



3. Beginning with the left side, slide the first rod slightly out so that you can install the protector to the side opposite the handle.



****Please Note:** You may need to remove the foremost foosball player using the pin extractor to slide the rod out with enough room to work. For more information on how to remove a player, consult the World Tour Foosball Coin-Op Table Instruction Manual.



4. From the inner side of the table, remove the screws and black bearing from the rod hole.
Note: Do not remove all the bearings. You do not need to remove them all from both sides of the table, only the bearings that will be covered with rod protectors.



How to Install the Metal Rod Protectors


5. If your table came with pre-drilled holes for the rod protectors, skip to the drilling steps. If you need to drill additional holes: place a wooden panel of scrap wood on the outer side of the table. From the inner side of the table, drill out the two (2) pilot holes until they become through holes.

6. Temporarily affix the left and the right sides of the rod protector onto the table with two (2) of the longer bolts (4.75cm) and nuts.



7. Using the drill, make two (2) pilot/blind holes for the top and bottom bolts (pilot holes do not go all the way through the wood).

Take care to drill straight into the table, not at an angle!



8. Unbolt and remove the rod protector. Place a wooden panel of scrap wood inside the table and continue to drill the 2 blind holes until they become through holes. Using scrap wood should minimize the potential for damage to the laminate while drilling.



How to Install the Metal Rod Protectors

9. Affix the metal rod protector using four (4) bolts: 2 short (4.5cm) and 2 long (4.75 cm).



10. The nuts should be snugly tightened from the inner side of the table.



11. Tighten a second nut on top of every first nut.



12. Repeat all the steps to install the remaining seven (7) metal rod protectors.
Each side of the table will have four (4) rod protectors, from left to right:



1 Long Rod


2 Med Rod

3 Short Rod

How to Install the Metal Rod Protectors

13. Insert the assembled foosball player rods into the rod protector for each rod.

Insert the foosball rod into the rod protector



***Please Note:** You will need to lubricate the rod as well as the bearings to slide the rods into the protectors with ease.

14. Once all the rod protectors have been installed and the rods have been inserted, reinstall the plate of tempered glass on the **RIGHT SIDE**.



15. From the right side of the table, reassemble the end cap, corner pieces, and metal parts.



16. **Ensure all rods move smoothly and with ease inside the rod protectors. If the rods are sticking or do not move smoothly, apply more lubricant.**



17. Plug the table back in, turn on the power, and begin playing!

See the full **World Tour Foosball Table Instruction Manual** for any troubleshooting.

Care and Maintenance

1. Use a soft cloth, and product-specific polishing spray to clean the cabinet. **THE GLASS PLAYFIELD COVER SHOULD BE CLEANED WITH GLASS CLEANER ONLY.**
2. Dust, grime, and other debris can collect inside the body of your table over time. Vacuum out the inside cavities frequently. The easiest way to access the inside of the table is to remove the glass plate and clean the playfield and foosball players. Opening the cabinet will also give you access to excess dust that may have built up inside the goal chutes. **NEVER ATTEMPT** to clean the automatic ball release system while the game is operating.
3. Clean any dirt or debris from the main PC Board with a soft brush or dry cloth. **NEVER USE WATER OR OTHER LIQUIDS.** Always be sure to turn off or unplug the machine before opening the PC Board panel.
4. Household cleaner may be used to wipe down the poles, handles, and legs.
5. Dust the scoreboard when needed (depending on the model).
6. Periodically check the functionality of the coin mechanisms and empty coin boxes.
7. Perform maintenance work in accordance with these instructions. **Be sure to always turn off the power before servicing the machine.**

Troubleshooting

Having trouble installing your new Metal Rod Protector Kit?

Call our experts in the Parts and Service Department (1+716-866-0054) or email Service@BarronGames.com and we will be happy to assist you!

Parts List: Metal Rod Protectors for World Tour

SKU# FB-C020

Part#	Description	Qty
FB-C021	Rod Protector Long (39.37 cm)	2
FB-C022	Rod Protector Medium (27.95 cm)	4

Part #	Description	Qty
FB-C023	Rod Protector Short (17.15cm))	2
FB-C024	Nuts & Bolts for protection rods 16 short bolts, 16 long bolts & 64 nuts	1 set



**Barron Games International
84 Aero Drive, Suite 5
Buffalo, NY 14225**

Phone: 1+716-866-0054

Fax: 1+716-630-0055

www.BarronGames.com

For Parts and Service Information, please contact us:

Phone: 1+716-866-0054

Email: Service@BarronGames.com